


DPG10 Power Choke Tester

Prüfling: HNL01.1R-0590-C0065
 Prüfer: Kreis
 Datum: 20.11.2015
 Widerstand [Ohm]: 0,0061

Maximalstrom [A]: 300
 Messspannung [V]: 300
 Impulsdauer [µs]: 70000 (1183)



I [A]	L1 [µH]	I [A]	L1 [µH]	I [A]	L1 [µH]	I [A]	L1 [µH]	I [A]	L1 [µH]
		105	576	205	570				
10	555	110	576	210	568				
15	558	115	576	215	567				
20	561	120	576	220	566				
25	564	125	576	225	564				
30	565	130	576	230	562				
35	567	135	576	235	560				
40	568	140	576	240	558				
45	569	145	576	245	555				
50	570	150	576	250	552				
55	571	155	575	255	548				
60	572	160	575	260	544				
65	573	165	575	265	539				
70	573	170	575	270	535				
75	574	175	574	275	530				
80	574	180	574	280	525				
85	575	185	573	285	521				
90	575	190	572	290	516				
95	575	195	571	295	511				
100	575	200	571	300	507				


Bemerkungen:

HNL01.1R-0590-C0065-A-480-NNNN

DPG10 Power Choke Tester

Prüfling: HNL01.1R-0590-C0065
 Prüfer: Kreis
 Datum: 20.11.2015
 Widerstand [Ohm]: 0,0061

Maximalstrom [A]: 300
 Messspannung [V]: 300
 Impulsdauer [µs]: 70000 (1183)




I [A]	L2 [µH]	I [A]	L2 [µH]	I [A]	L2 [µH]	I [A]	L2 [µH]	I [A]	L2 [µH]
		105	580	205	574				
10	557	110	580	210	572				
15	562	115	580	215	571				
20	565	120	580	220	569				
25	567	125	580	225	568				
30	569	130	580	230	566				
35	571	135	580	235	564				
40	572	140	580	240	561				
45	573	145	580	245	558				
50	574	150	580	250	555				
55	575	155	580	255	551				
60	576	160	579	260	546				
65	577	165	579	265	542				
70	577	170	579	270	537				
75	578	175	578	275	532				
80	578	180	578	280	527				
85	579	185	577	285	522				
90	579	190	576	290	518				
95	579	195	576	295	513				
100	580	200	575	300	508				

Bemerkungen:
 HNL01.1R-0590-C0065-A-480-NNNN

DPG10 Power Choke Tester

Prüfling: HNL01.1R-0590-C0065
 Prüfer: Kreis
 Datum: 20.11.2015
 Widerstand [Ohm]: 0,0061

Maximalstrom [A]: 300
 Messspannung [V]: 300
 Impulsdauer [µs]: 70000 (1183)



I [A]	L3 [µH]	I [A]	L3 [µH]	I [A]	L3 [µH]	I [A]	L3 [µH]	I [A]	L3 [µH]
		105	577	205	571				
10	552	110	577	210	570				
15	559	115	578	215	569				
20	562	120	578	220	567				
25	564	125	578	225	566				
30	566	130	578	230	564				
35	568	135	578	235	562				
40	569	140	578	240	559				
45	570	145	578	245	556				
50	571	150	577	250	553				
55	572	155	577	255	549				
60	573	160	577	260	545				
65	574	165	577	265	540				
70	574	170	576	270	535				
75	575	175	576	275	531				
80	576	180	575	280	526				
85	576	185	575	285	521				
90	576	190	574	290	516				
95	577	195	573	295	512				
100	577	200	572	300	507				

Bemerkungen:
 HNL01.1R-0590-C0065-A-480-NNNN