


DPG10 Power Choke Tester

D.U.T.: HNL01.1R-0590-C0065
 Inspector: Kreis
 Date: 20.11.2015
 Resistance [Ohm]: 0,0062

Max. current [A]: 300
 Meas. voltage [V]: 300
 Pulse time [μs]: 70000 (1183)



| I [A] | L1 [μH] | I [A] | L1 [μH] | I [A] | L1 [μH] | I [A] | L1 [μH] | I [A] | L1 [μH] |
|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|
| | | 105 | 575 | 205 | 569 | | | | |
| 10 | 551 | 110 | 575 | 210 | 568 | | | | |
| 15 | 556 | 115 | 575 | 215 | 566 | | | | |
| 20 | 560 | 120 | 575 | 220 | 565 | | | | |
| 25 | 562 | 125 | 575 | 225 | 563 | | | | |
| 30 | 564 | 130 | 575 | 230 | 561 | | | | |
| 35 | 566 | 135 | 575 | 235 | 559 | | | | |
| 40 | 567 | 140 | 575 | 240 | 557 | | | | |
| 45 | 568 | 145 | 575 | 245 | 554 | | | | |
| 50 | 569 | 150 | 575 | 250 | 551 | | | | |
| 55 | 570 | 155 | 575 | 255 | 547 | | | | |
| 60 | 571 | 160 | 574 | 260 | 543 | | | | |
| 65 | 571 | 165 | 574 | 265 | 539 | | | | |
| 70 | 572 | 170 | 574 | 270 | 534 | | | | |
| 75 | 573 | 175 | 573 | 275 | 529 | | | | |
| 80 | 573 | 180 | 573 | 280 | 525 | | | | |
| 85 | 574 | 185 | 572 | 285 | 520 | | | | |
| 90 | 574 | 190 | 571 | 290 | 515 | | | | |
| 95 | 574 | 195 | 571 | 295 | 511 | | | | |
| 100 | 574 | 200 | 570 | 300 | 506 | | | | |


Remarks:

HNL01.1R-0590-C0065-A-480-NNNN

DPG10 Power Choke Tester

D.U.T.: HNL01.1R-0590-C0065
 Inspector: Kreis
 Date: 20.11.2015
 Resistance [Ohm]: 0,0062

Max. current [A]: 300
 Meas. voltage [V]: 300
 Pulse time [µs]: 70000 (1183)



| I [A] | L2 [µH] | I [A] | L2 [µH] | I [A] | L2 [µH] | I [A] | L2 [µH] | I [A] | L2 [µH] |
|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|
| | | 105 | 579 | 205 | 573 | | | | |
| 10 | 557 | 110 | 580 | 210 | 572 | | | | |
| 15 | 562 | 115 | 580 | 215 | 571 | | | | |
| 20 | 565 | 120 | 580 | 220 | 569 | | | | |
| 25 | 567 | 125 | 580 | 225 | 567 | | | | |
| 30 | 569 | 130 | 580 | 230 | 565 | | | | |
| 35 | 571 | 135 | 580 | 235 | 563 | | | | |
| 40 | 572 | 140 | 580 | 240 | 561 | | | | |
| 45 | 573 | 145 | 580 | 245 | 558 | | | | |
| 50 | 574 | 150 | 580 | 250 | 554 | | | | |
| 55 | 575 | 155 | 579 | 255 | 550 | | | | |
| 60 | 576 | 160 | 579 | 260 | 546 | | | | |
| 65 | 576 | 165 | 579 | 265 | 541 | | | | |
| 70 | 577 | 170 | 578 | 270 | 537 | | | | |
| 75 | 577 | 175 | 578 | 275 | 532 | | | | |
| 80 | 578 | 180 | 577 | 280 | 527 | | | | |
| 85 | 578 | 185 | 577 | 285 | 522 | | | | |
| 90 | 579 | 190 | 576 | 290 | 517 | | | | |
| 95 | 579 | 195 | 575 | 295 | 513 | | | | |
| 100 | 579 | 200 | 574 | 300 | 508 | | | | |


Remarks:

HNL01.1R-0590-C0065-A-480-NNNN

DPG10 Power Choke Tester

D.U.T.: HNL01.1R-0590-C0065
 Inspector: Kreis
 Date: 20.11.2015
 Resistance [Ohm]: 0,0062

Max. current [A]: 300
 Meas. voltage [V]: 300
 Pulse time [µs]: 70000 (1183)



| I [A] | L3 [µH] | I [A] | L3 [µH] | I [A] | L3 [µH] | I [A] | L3 [µH] | I [A] | L3 [µH] |
|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|
| | | 105 | 577 | 205 | 571 | | | | |
| 10 | 556 | 110 | 577 | 210 | 570 | | | | |
| 15 | 560 | 115 | 577 | 215 | 569 | | | | |
| 20 | 563 | 120 | 578 | 220 | 567 | | | | |
| 25 | 565 | 125 | 578 | 225 | 566 | | | | |
| 30 | 567 | 130 | 578 | 230 | 564 | | | | |
| 35 | 568 | 135 | 578 | 235 | 562 | | | | |
| 40 | 570 | 140 | 578 | 240 | 559 | | | | |
| 45 | 570 | 145 | 578 | 245 | 556 | | | | |
| 50 | 571 | 150 | 577 | 250 | 553 | | | | |
| 55 | 572 | 155 | 577 | 255 | 549 | | | | |
| 60 | 573 | 160 | 577 | 260 | 545 | | | | |
| 65 | 574 | 165 | 577 | 265 | 540 | | | | |
| 70 | 575 | 170 | 576 | 270 | 535 | | | | |
| 75 | 575 | 175 | 576 | 275 | 531 | | | | |
| 80 | 576 | 180 | 575 | 280 | 526 | | | | |
| 85 | 576 | 185 | 575 | 285 | 521 | | | | |
| 90 | 577 | 190 | 574 | 290 | 516 | | | | |
| 95 | 577 | 195 | 573 | 295 | 512 | | | | |
| 100 | 577 | 200 | 572 | 300 | 507 | | | | |

Remarks:

HNL01.1R-0590-C0065-A-480-NNNN